



Der Suspension-Hersteller Rock Shox verpasst seinen XC Federgabeln Sid, Revelation, dem XC Dämpfer Monarch und der Xloc Fernbedienung interessante Updates. Hier die News und Bilder.



Rock Shox Sid und Revelation Federgabel

Die SID gehört zu den erfolgreichsten XC Federgabeln und äußerst viele Weltcupfahrer schwören auf ihre Performance und das Gewicht. Weltcup- und Olympiatitel stehen auf dem Konto der Federgabel mit 80 bis 120mm Federweg. Ab jetzt werden die Modelle in den drei Laufradgrößen 26“, 27,5“ und 29“ erhältlich sein. Die Waage bleibt beim leichtesten 26er SID Modell dank Carbonkrone bei 1301g stehen.



Die beiden Modelle Revelation und Sid unterscheidet nur wenig. Die Revelation Trailgabel mit 120 bis 150mm Federweg besitzt das gleiche Motion Control DNA Innenleben. Das leichteste Revelation Modell wiegt jedoch 1479g.

Beide XC Gabelmodelle bekommen nun einen veränderten Ölkreislauf, der „Dig Valve“ genannt wird. Dieses System soll die Low- und Highspeeddruckstufe verbessern und so die Schläge besser absorbieren.

Die Zugstufe ist durch das neue Rapid Recoverysystem verfeinert worden, sodass die Gabel bei vielen, schnell aufeinander folgenden Schlägen nicht mehr wegsackt und genug Federweg behält. Dieses Problem sollte jedem Fahrer bereits begegnet sein. Eine spürbare Verbesserung ist sehr zu bevorzugen.



Ebenfalls neu sind die nun schwarz anodisierten Standrohre. Optisch wohl Geschmacksache aber uns gefällt´s. Weiterhin sind sie mit einer SAG Skala versehen, die es deutlich vereinfacht das Setup und den passenden Luftdruck zu finden.

Rock Shox Monarch Dämpfer



Ab sofort werden alle XC Dämpfer der Monarch Serie mit dem Rapid Recovery System ausgestattet sein. (Erklärung s. oben) Des Weiteren sollen neue Dichtungen für weniger Reibung sorgen und Veränderungen an der Druckstufe sollen die Federungsqualität verbessern.

Rock Shox Xloc Full Sprint

Endlich zieht Rock Shox nach! Während mehrere Hersteller bereits Fernbedienungen besitzen mit denen der Dämpfer und die Gabel gleichzeitig blockiert werden können, bekommt nun auch der Xloc diese Möglichkeit. Mit nur einem Hebel können Monarch XX, Revelation XX oder Sid XX angesteuert werden. Das



hydraulische „Schreibkulli-Prinzip“ bleibt bestehen. Ein Druck öffnet die Federelemente, ein Druck schließt sie wieder.



Die Bedienung ist deutlich reibungsarmer und benötigt weniger Hebelkräfte als die Lenkerfernbedienungen der Konkurrenz. Dank Connectamajig ist das System trotz Ölbetrieb verbraucherfreundlich, da die Leitung an- und abgesteckt werden kann. Eine aufwendige Entlüftung ist für die Montage nicht nötig.

Mit der Matchmakerschelle lässt sich die Fernbedienung weiterhin mit einer Avidbremse und SRAM Schalthebeln verbinden, sodass keine weiteren unschönen Schellen am Lenker Platz finden müssen.

(Die Xloc Fernbedienung ist nur mit XX und XX Worldcup Gabel- oder Dämpfermodellen nutzbar.)

Die hier vorgestellten Modelle werden voraussichtlich ab spätestens September 2013 verfügbar sein.

Details der verfügbaren Modelle (Anklicken zur Vergrößerung):

MONARCH PRODUCT SPECS*						
MODEL	RETRIEVER	WEIGHT**	MAX OIL VOLUME (cc)	OPERATING OPTIONS	LEVER ADJUSTMENT	LEVER
85		175g	110-112 (111)**		Extreme rebound and Full Lockout Minimum Rebound Control	Black
85S		165g	100-102		Extreme Rebound - 1 Pusher Compression Rebound Control	Black
86	Handcrafted Mono Block Aluminum Air-Cap	175g	100-102	Full Lockout/Rebound via External Valve	Extreme Rebound - 1 Pusher Compression Rebound Control	Black/White
87		175g	100-102		Extreme Rebound - 1 Pusher Compression Rebound Control	Black/White
88		175g	100-102		Extreme Rebound	Black/White

* Not all configurations available, please refer to official RockShox Product Offering for complete information
 ** Weight based on 320.00 standard air cap, see brochure
 *** High volume air cap not available for 152.00

ROCK SHOX



SID PRODUCT SPEED*

MODEL	WHEEL SIZE	TRAILS	WISDOM™	SPRING	DAMPING ADJUSTMENTS	AXLE	STEBBER	CRANK	UPPER TUBES	SHIMMERS	COLORS
REVELATION EXP DS					Internal Rebound, Open and Lockout with Frictionless Race Remedy	Steer Stop 1.1 1.18" Tapered (20" & 21")	1 Piece Carbon Fiber Crown Shim (20" & 21")		Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					External Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)					NI	
REVELATION EXP					Internal Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)	Steer Stop 1.1 1.18" Tapered (20" & 21")	1 Piece Carbon Fiber Crown Shim (20" & 21")		Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					Internal Rebound, Open and Lockout with Frictionless Race Remedy					NI	
SA	29", 27.5" or 26"	220mm, 225mm, 228mm	None or 20mm	None or Race	Internal Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)	Steer Stop 1.1 1.18" Tapered	Aluminum, 1.18" or 1.1 1.18" Tapered	Frogbit, Nylon, Race, 1.18" Race	Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					Internal Rebound, Open and Lockout with Frictionless Race Remedy					NI	
REX	29", 27.5" or 26"	220mm, 225mm, 228mm	None or 20mm	None or Race	Internal Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)	Steer Stop 1.1 1.18" Tapered	Aluminum, 1.18" or 1.1 1.18" Tapered	Frogbit, Nylon, Race, 1.18" Race	Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					Internal Rebound, Open and Lockout with Frictionless Race Remedy					NI	
R1	29", 27.5" or 26"	220mm, 225mm, 228mm	None or 20mm	None or Race	Internal Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)	Steer Stop 1.1 1.18" Tapered	Aluminum, 1.18" or 1.1 1.18" Tapered	Frogbit, Nylon, Race, 1.18" Race	Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					Internal Rebound, Open and Lockout with Frictionless Race Remedy					NI	

* Not all configurations available, please refer to aforementioned Product Offering for complete information

** Weight based on 2025mm wheel

REVELATION PRODUCT SPEED*

MODEL	WHEEL SIZE	TRAILS	WISDOM™	SPRING	DAMPING ADJUSTMENTS	AXLE	STEBBER	CRANK	UPPER TUBES	SHIMMERS	COLORS
REVELATION EXP DS					Internal Rebound, Open and Lockout with Frictionless Race Remedy	Steer Stop 1.1 1.18" Tapered (20")	1 Piece Carbon Fiber Crown Shim (20")		Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					External Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)					NI	
REVELATION EXP					Internal Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)	Steer Stop 1.1 1.18" Tapered (20")	1 Piece Carbon Fiber Crown Shim (20")		Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					Internal Rebound, Open and Lockout with Frictionless Race Remedy					NI	
SA	29", 27.5" or 26"	220mm, 225mm, 228mm	None or 20mm	None or Race	Internal Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)	Steer Stop 1.1 1.18" Tapered	Aluminum, 1.18" or 1.1 1.18" Tapered	Frogbit, Nylon, Race, 1.18" Race	Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					Internal Rebound, Open and Lockout with Frictionless Race Remedy					NI	
REX	29", 27.5" or 26"	220mm, 225mm, 228mm	None or 20mm	None or Race	Internal Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)	Steer Stop 1.1 1.18" Tapered	Aluminum, 1.18" or 1.1 1.18" Tapered	Frogbit, Nylon, Race, 1.18" Race	Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					Internal Rebound, Open and Lockout with Frictionless Race Remedy					NI	
R1	29", 27.5" or 26"	220mm, 225mm, 228mm	None or 20mm	None or Race	Internal Rebound, Low Speed Compression, (Optional Compression Shim) (Patent Pending)	Steer Stop 1.1 1.18" Tapered	Aluminum, 1.18" or 1.1 1.18" Tapered	Frogbit, Nylon, Race, 1.18" Race	Shim with Bag Shimlock	Blue Spring, Blue Fall Spring	Black, White, Phantom Black
					Internal Rebound, Open and Lockout with Frictionless Race Remedy					NI	

* Not all configurations available, please refer to aforementioned Product Offering for complete information

** Weight based on 2025mm wheel

Bilder: SRAM Deutschland GmbH

